



## STANDARD PACKAGING - Surethread Standard and Extra Heavy Pipe

A53 Type F Sch. 40 Black P.E.					A53 Type F Sch. 40 Black T & C					A53 Type F Sch. 40 Galvanized P.E.					A53 Type F Sch. 40 Galvanized T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	00055	127	0.85	2667	1/2	00467	127	0.85	2667	1/2	00144	127	0.85	2667	1/2	00557	127	0.85	2667
3/4	00056	91	1.13	1911	3/4	00468	91	1.13	1911	3/4	00145	91	1.13	1911	3/4	00558	91	1.13	1911
1	00057	70	1.68	1470	1	00469	70	1.68	1470	1	00146	70	1.68	1470	1	00559	70	1.68	1470
1-1/4	00058	51	2.27	1071	1-1/4	00470	51	2.28	1071	1-1/4	00147	51	2.27	1071	1-1/4	00560	51	2.28	1071
1-1/2	00059	44	2.72	924	1-1/2	00471	44	2.73	924	1-1/2	00148	44	2.72	924	1-1/2	00561	44	2.73	924
2	00060	30	3.66	630	2	00472	30	3.68	630	2	00149	30	3.66	630	2	00562	30	3.68	630
2-1/2	00061	20	5.80	420	2-1/2	00473	20	5.82	420	2-1/2	00150	20	5.80	420	2-1/2	00563	20	5.82	420
3	00062	13	7.58	273	3	00474	13	7.62	273	3	00151	13	7.58	273	3	00564	13	7.62	273
3-1/2	00063	10	9.11	210						3-1/2	00152	10	9.11	210					
4	00064	10	10.80	210	4	00476	10	10.89	210	4	00153	10	10.80	210	4	00566	10	10.89	210

A53 Type F Sch. 80 Black P.E.					A53 Type F Sch. 80 Black T&C					A53 Type F Sch. 80 Galvanized P.E.					A53 Type F Sch. 80 Galvanized T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	02187	91	1.09	1911	1/2	02404	91	1.09	1911	1/2	02276	91	1.09	1911	1/2	02493	91	1.09	1911
3/4	02188	79	1.47	1659	3/4	02405	79	1.48	1659	3/4	02277	79	1.47	1659	3/4	02494	79	1.48	1659
1	02189	44	2.17	924	1	02406	44	2.18	924	1	02278	44	2.17	924	1	02495	44	2.18	924
1-1/4	02190	34	3.00	714	1-1/4	02407	34	3.02	714	1-1/4	02279	34	3.00	714	1-1/4	02496	34	3.02	714
1-1/2	02191	29	3.63	609	1-1/2	02408	29	3.66	609	1-1/2	02280	29	3.63	609	1-1/2	02497	29	3.66	609
2	02192	19	5.02	399	2	02409	19	5.07	399	2	02281	19	5.02	399	2	02498	19	5.07	399
2-1/2	02193	13	7.66	273	2-1/2	02410	13	7.73	273	2-1/2	02282	13	7.66	273	2-1/2	02499	13	7.73	273
3	02194	10	10.25	210	3	02411	10	10.33	210	3	02283	10	10.25	210	3	02500	10	10.33	210

A53 Type F Sch. 40 Black TBE - 10'					A53 Type F Sch. 40 Galvanized TBE - 10'					<p><b>** Yellow Indicates "Special -to be inquired"</b></p> <p>Any length other than 21' to be inquired with your Customer Service Rep. for availability &amp; minimum order requirement.</p> <p>STD PE X20' MATERIAL IS IN 2 TON LIFT INCREMENTS, NOT QTYS LISTED ABOVE</p> <p>BARE MATERIAL - 5 TON MIN</p>									
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft										
1/2	00251	127	0.85	1270	1/2	00403	127	0.85	1270										
3/4	00252	91	1.13	910	3/4	00404	91	1.13	910										
1	00253	70	1.68	700	1	00405	70	1.68	700										
1-1/4	00254	51	2.27	510	1-1/4	00406	51	2.27	510										
1-1/2	00255	44	2.72	440	1-1/2	00407	44	2.72	440										
2	00256	30	3.65	300	2	00408	30	3.65	300										
2-1/2	00257	40	5.79	400	2-1/2	00409	40	5.79	400										
3	00258	30	7.58	300	3	00410	30	7.58	300										
4	00260	20	10.79	200	4	00412	20	10.79	200										

**STANDARD PACKAGING - ERW AND SPRINKLER PIPE**

A53 Type E -Grade B Sch. 40 ERW Black P.E.					A53 Type E -Grade B Sch. 40 ERW Black R.G.					A53 Type E Grade B Sch. 40 ERW Galvanized P.E.					A53 Type E Grade B Sch. 40 ERW Galvanized R.G.					
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	
2.375	01248	30	3.66	630	2.375	11248	30	3.66	630	2.375	70645	30	3.66	630	2.375	11330	30	3.66	630	
2.875	01249	20	5.80	420	2.875	11267	20	5.80	420	2.875	01287	20	5.80	420	2.875	11331	20	5.80	420	
3.500	01250	13	7.58	273	3.500	11268	13	7.58	273	3.500	01323	13	7.58	273	3.500	11332	13	7.58	273	
4.500	01252	10	10.80	210	4.500	11270	10	10.80	210	4.500	01286	10	10.80	210	4.500	11334	10	10.80	210	
5.5625	01253	7	14.63	147	5.5625	11272	7	14.63	147	5.5625	01324	7	14.63	147	5.5625	11335	7	14.63	147	
6.625	01254	7	18.99	147	6.625	11273	7	18.99	147	6.625	01325	7	18.99	147	6.625	11336	7	18.99	147	
8.625	01255	5	28.58	105	8.625	11274	5	28.58	105	8.625	01326	5	28.58	105	8.625	11337	5	28.58	105	
10	01256	2	40.52	42																
12	01257	2	49.61	42																
14	01261	2	54.62	42																
16	69390	2	62.64	42																
18	01259	2	70.65	42																
A53 Type E -Grade B Sch. 80 ERW																				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'																
2.375	02884	24	5.03	504																
2.875	02885	20	7.67	420																
3.500	01243	13	10.25	273																
4.500	02244	10	14.98	210																

Please note 42' lengths BLK PE come in the same pieces per lift as 21'.

**FIRE SPRINKLER PIPE - 21' Lengths**

Sch. 40 ASTM A795E Black P.E.					A53 Type F Sch. 40 Black P.E. S-CUT					Mega-Thread ASTM A795E Black P.E.					MLT ASTM A795E Black Lightwall					
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	
1	21649	70	1.6800	1470	1	00357	70	1.6800	1470	1	70760	70	1.4620	1470	1	71205	91	1.3700	1911	
1-1/4	21650	51	2.2700	1071	1-1/4	00358	51	2.2700	1071	1-1/4	70761	51	1.9890	1071	1-1/4	71206	61	1.8060	1281	
1-1/2	21651	44	2.7200	924	1-1/2	00359	44	2.7200	924	1-1/2	70762	44	2.3700	924	1-1/2	71207	61	2.0850	1281	
2	21652	30	3.6500	630	2	00360	30	3.6600	630	2	70763	30	3.0940	630	2	71208	37	2.6380	777	
SCHEDULE 10 ASTM A135 Black R.G.					SCHEDULE 10 ASTM A135 Galv R.G.					Megaflow ASTM A795E Black R.G.					WLS - SCH. 30 A795F Black P.E.					
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	
1-1/4	41650	61	1.806	1281	1-1/4	71669	61	1.806	1281	1-1/4	71321	61	1.108	1281	1	00850	70	1.462	1470	
1-1/2	41651	61	2.085	1281	1-1/2	71670	61	2.085	1281	1-1/2	71322	61	1.556	1281	1-1/4	00851	55	1.928	1155	
2	41652	37	2.638	777	2	71662	37	2.638	777	2	71323	37	1.961	777	1-1/2	00852	45	2.369	945	
2-1/2	41653	30	3.530	630	2-1/2	71663	30	3.530	630	2-1/2	71324	30	2.504	630	2	00853	35	3.003	735	
3	41654	19	4.332	399	3	71664	19	4.332	399	3	71325	19	3.349	399	<b>GL ASTM A795E Galvanized</b>					
4	41656	19	5.613	399	4	71665	19	5.613	399	4	71326	19	4.331	399	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft	
5	41657	13	7.769	273	5	71667	13	7.769	273	6	71328	10	7.996	210	1	72205	91	1.3700	1911	
6	41658	10	9.298	210	6	71658	10	9.298	210					1-1/4	72206	61	1.7610	1281		
8	41659	7	16.960	147	8	72089	7	16.960	147					1-1/2	72207	61	2.0330	1281		
SCHEDULE 10 ASTM A135 Black P.E.															2	72208	37	2.6860	777	
NPS	Matl. #	Pcs.	Wgt/Ft	Ftg/Lft																
1	31649	70	1.410	1470																
10	31661	2	21.210	42																

**Standard Packaging Requirements - Contact your Customer Service Representative at 800-257-8182; website [www.wheatland.com](http://www.wheatland.com)**



### STANDARD PACKAGING - API Products

STD BLK API5L A25 F PSL1 PIPE PE					STD BLK API5L A25 F PSL1 PIPE T&C					XH BLK API5L A25 F PSL1 PIPE PE					XH BLK API5L A25 F PSL1 PIPE T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'	NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	01615	127	0.85	2667	1/2	01887	127	0.86	2667	1/2	03068	91	1.09	1911					
3/4	01616	91	1.13	1911	3/4	01888	91	1.14	1911	3/4	03069	79	1.47	1659					
1	01617	70	1.68	1470	1	01889	70	1.70	1470	1	03070	44	2.17	924	1	03221	44	2.18	924
1-1/4	01618	51	2.27	1071	1-1/4	01890	51	2.30	1071	1-1/4	03071	34	3.00	714					
1-1/2	01619	44	2.72	924	1-1/2	01891	44	2.75	924	1-1/2	03072	29	3.63	609					
2	01620	30	3.65	630	2	01892	30	3.75	630	2	03073	19	5.02	399					
3	01622	13	7.58	273	3	01894	13	7.70	273	3	03075	10	10.25	210					
4	01624	10	10.80	210	4	01896	10	11.00	210	4	03077	7	14.98	147					